# Command<sup>™</sup> Senior Formula Brookside Equine Products<sup>™</sup>

## **Concentrated Formula**

- Essential Fatty Acids
- Antioxidants
- Tyrosine & Phenylalanine
- Balanced Calcium, Phosphorus & Magnesium
- Chelated Minerals
- Sugar Free

For all classes of horses.

Serving Size: 2 scoops (Approx. 48 grams)

### **Product Facts:**

Active Ingredients per 48 grams (2 scoops):

	· · · · · · · · · · · · · · · · · · ·		
Yucca	5,500 mg	Chondroitin Sulfate (Porcine)	550 mg
Glucosamine Sulfate (Marine)	5,000 mg	L-Threonine	500 mg
Crude Fiber	3,840 mg	Yeast	500 mg
Omega 3 Fatty Acids	2,395 mg	L-Phenylalanine	500 mg
Omega 6 Fatty Acids	569 mg	Zinc (Amino Acid Chelate)	180 mg
MSM	3,000 mg	Potassium	132 mg
Crude Protein	2,880 mg	Niacin	125 mg
Calcium	1,528 mg	Manganese (Amino Acid Chelate)	100 mg
L-Lysine	1,500 mg	Copper (Amino Acid Chelate)	60 mg
Phosphorus (Dicalcium Phosphate)	1,068 mg	Vitamin B2 (Riboflavin)	40 mg
Vitamin E (Acetate)	1,000 IU	Vitamin B6 (Pyridoxine)	25 mg
L-Methionine	1,000 mg	Vitamin D3	5,000 IU

Vitamin A (Palmitate)	17,000 IU	Biotin	10 mg
Vitamin C (Ester-C)	936 mg	Folic Acid	25 mg
*Lactic Acid Producing Bacteria	9.38x10 <sup>7</sup> CFU	Cobalt (Amino Acid Chelate)	2 mg
Magnesium (Sulfate)	728 mg	Chromium (Picolinate)	2 mg

\*(Fructooligosaccharide (extract of chicory), dried Aspergillus oryzae fermentation extract, Saccharomyces cerevisiae, dried Yucca schidigera extract, and dried fermentation products of: Lactobacillus acidophilus, Lactobacillus plantarum, Lactobacillus casei, Enterococcus faecium, Bifidobacterium thermophilum, Bifidobacterium longum and Bacillus subtilis)

Ester-C is a registered trademark of the Ester-C Company.

### For Use in Horses Only.

# Recommended for older horses to support and maintain proper body function and an overall good quality of life.

### Directions for use:

Administer one serving (2 scoops) daily with feed or as directed by your veterinarian or equine nutritionist. 30 servings.

Enclosed scoop holds 24 grams.

### Caution:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

### Warnings:

For animal use only.

Keep out of the reach of children and animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

Made in U.S.A.