

Natural Stride

Natural Solutions For Livestock LLC

Unique Fatty Acid Blend.

A patented* and exclusive 100% plant-derived blend of esterified acids from the African Kombo nut.

Granular Form for maximum Potency. Not subject to the degrading effects of heat and pressure from pelleting.

High palatability. Molasses flavored for superior intake.

*Ref. #7,772,279

Guaranteed Analysis:

Crude Protein (Min)	6%
Crude Fat (Min)	6%
Saturated Fat (Min)	4.01%
Polyunsaturated Fat (Min)	0.75%
Monounsaturated Fat (Min)	1.24%
Crude Fiber (Max)	6%
Phosphorus (Min)	0.10%
Calcium (Min)	0.5%
Calcium (Max)	0.8%
Zinc (Min)	17 ppm

Ingredient Statement:

Molasses, Salt, Kombo Nut (Cetyl myristoleate, plant source), Alfalfa Powder, Ascorbic Acid (vitamin C), Natural and Artificial Flavors, D/L-Methionine, Tocopherol Acetate (vitamin E).

Cautions:

- Consult your veterinarian before using this product in animals:
with clotting disorders; being treated with anticoagulant medications;
diabetes, or any metabolic disorder causing hyperglycemia; or having
a history of urinary tract stones.
- Safe use in pregnant animals or animals intended for breeding has not been proven.
- If lameness worsens, discontinue use and contact your veterinarian.
- Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Feeding Directions:

Initial 'Loading' Period – Mix with feed or grain. Depending on the severity of symptoms, an initial 'loading' dosage during the first 10-21 days is recommended.

Maintenance Period – Once desired results are being seen (10-21 days after start if 'loading' period) begin administering a maintenance program.

Maintain a higher rate due to the severity of the animal. Monitor your

animal's condition closely and adjust levels as necessary for optimum results.

USING 60cc Scoop (45 grams):

	Livestock Stage	Initial Period	Maintenance
Cattle	Grower	3-4 scoops/day	2 scoops/day
	Finisher	4-6 scoops/day	2-3 scoops/day

USING 29.6cc Scoop (22 grams):

	Livestock Stage	Initial Period	Maintenance
Swine	Grower	1-2 scoops/day	½-1 scoop/day
Sheep or Goat	Finisher	2-4 scoops/day	1-2 scoops/day