

ShieldTec™ Plus For Dogs

Promika, LLC

Contains Permethrin and Pyriproxyfen, The Active Ingredients Used in Vetguard Plus® For Dogs

3 Month Supply

KILLS, REPELS & PREVENTS Fleas, Flea Eggs, Ticks*, Lice & Mosquitoes

*Including Brown Dog, American Dog and Deer Ticks (which may carry Lyme disease)

Fleas Flea Eggs Ticks Lice Mosquitoes

Active Ingredients:

*Permethrin: (CAS #52645-53-1): 45.0%

Pyriproxyfen: (CAS #95737-68-1): 5.0%

Other Ingredients: 50.0%

Total: 100.0%

* cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

Net Contents:

Small Dogs 5-15 lbs:	0.12 fl. oz, 3-pack of 0.03 fl. oz (1 mL/tube)
Medium Dogs 16-33 lbs:	0.20 fl. oz., 3-pack of 0.05 fl. oz. (1.5 mL/tube)
Large Dogs 34-66 lbs:	0.40 fl. oz., 3-pack of 0.10 fl. oz. (3 mL/tube)
X-Large Dogs Over 66 lbs:	0.60 fl. oz., 3-pack of 0.15 fl. oz. (4.5 mL/tube)

CAUTION

KEEP OUT OF REACH OF CHILDREN

USE ONLY ON DOGS OVER 12 WEEKS OF AGE

DO NOT USE ON CATS—MAY BE FATAL

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Hazards to Humans: Harmful if swallowed. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Avoid contact with eyes or clothing. **Hazards to Domestic Animals: FOR EXTERNAL USE ON DOGS ONLY.** Do not use on puppies under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing dogs. Consult a veterinarian before using this product on dogs with known organ

dysfunction. **DO NOT USE ON CATS** or animals other than dogs. Keep cats away from treated dogs for 24 hours. If applied to or ingested by a cat, contact your veterinarian immediately. Cats which actively groom or engage in close physical contact with treated dogs may be at risk of serious harmful effects. Certain medications can interact with pesticides. It is advisable to consult a veterinarian before using this product with ANY other pesticide or drug.

Adverse Reactions: Some dogs may be sensitive to ingredients in this product. Adverse reactions in dogs may include increased pruritis (itchiness), erythema (redness), rash and hair discoloration or hair loss at the application site. Observe the dog following treatments. Sensitivity may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Keep cats away from treated dogs for 24 hours. Adverse reactions in cats could include neurological effects such as inactivity, tremors, and convulsions. If applied to or ingested by a cat, contact your veterinarian immediately.

First Aid

If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Hotline Number: Have the product container or label with you when calling a poison control center or doctor, or going for medical treatment. You may also call 1-844-685-9173 for emergency medical treatment information.

Environmental Hazards: This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

Use Restrictions: DO NOT USE ON CATS OR KITTENS—MAY BE FATAL. USE ONLY ON DOGS OR PUPPIES 12 WEEKS OF AGE OR OLDER. DO NOT ALLOW CHILDREN TO APPLY THIS PRODUCT. Do not apply to dogs or puppies weighing less than 5 lbs. Do not use more than one tube per dog/puppy and do not retreat more than once per month. Do not get in the dog's eyes or mouth and do not allow your dog/puppy to ingest this product.

Directions For Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove tubes from packaging. Using one applicator tube, hold the tube with the narrow end pointing up. Snap the

applicator tip across the marked line to allow access to the dotted tip. Holding tube away from you and your dog's eyes. Snap the applicator tip at notched line to open. Invert tube over dog and use open end to part dog's hair. Apply one tube of product solution as a spot to the skin at three different locations along the dog's back between the shoulder blades and base of the tail. Do not use on dog's less than 5 pounds. Squeeze tube to apply all of the solution to the dog's skin.

Notice of Warranty

NOTE: Seller warrants this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-844-685-9173.

DO NOT USE ON CATS—MAY BE FATAL

Keep away from treated dogs for 24 hours.

Of applied to or ingested by a cat, contact your veterinarian immediately.

Storage And Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in a cool, dry (preferably locked) place away from heat and open flame, in an area inaccessible to children and animals. Protect from freezing.

Pesticide Disposal: Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.