

Colostrx® CR Bovine IgG Colostrum Replacer

Saskatoon Colostrum

100 g IgG

Made with Whole Bovine Colostrum™

Bovine IgG—Antibody of bovine origin is intended to replace or supplement maternal colostrum as an aid in the treatment of Failure of Passive Transfer (FPT) in newborn calves.

Contents IgG \geq 100 g IgG

Net Weight 16.6 oz (470 g) powder

U.S. Veterinary Permit No. 448A

Product Code No. 3606.04

For Animal Use Only

Directions for Use

Mix one bag [470 g] of COLOSTRX® CR COLOSTRUM REPLACER into 1 quart [1000 mL] of clean, warm water 110 to 120°F [43 to 49°C] and feed within 2 hours of birth.

Calves should receive a second feeding of colostrum within 8 hours. Feed to calf by bottle or esophageal feeder.

A replacement dose is 1.5 bags [705 g] with 1.5 quarts [1500 mL] of water 110 to 120°F [43 to 49°C].

Recommendations for Use

To replace or supplement maternal colostrum as an aid in the treatment of Failure of Passive Transfer (FPT) in newborn calves.

Guaranteed Analysis

Bovine Origin IgG 100 g/bag minimum

Storage

Store out of direct sunlight in a dry location at or below 77°F (25°C).

Do not mix with other products, except as specified on this label.

Product of Canada